Baltic Astronomy, vol. 11, 219–229, 2002.

arXiv:astro-ph/0209446v1 21 Sep 2002

PHOTOMETRIC INVESTIGATION OF THE MBM 12 MOLECULAR CLOUD AREA IN ARIES.
I. PHOTOELECTRIC PHOTOMETRY

A. Kazlauskas, K. Černis, V. Laugalys and V. Straižys

Institute of Theoretical Physics and Astronomy, Goštauto 12, Vilnius 2600, Lithuania; e-mail addresses: algisk@itpa.lt, cernis@itpa.lt, vygandas@itpa.lt, straizys@itpa.lt

Received May 25, 2002.

Abstract. The results of photoelectric photometry in the *Vilnius* seven-color system are given for 152 stars down to 12.2 mag in the area of the molecular cloud MBM 12 and the dust clouds L1454 and L1457 in Aries. The results of photometric classification of stars are also given. The investigation of interstellar extinction in the area is described in the next paper.

Key words: techniques: photometric: Vilnius photometric system – stars: fundamental parameters – molecular clouds: individual: MBM 12 – dust clouds: individual: L1454 and L1457

1. INTRODUCTION

This paper extends the program of investigation of the Taurus–Auriga–Perseus–Aries dark clouds by photoelectric photometry in the Vilnius seven-color system (Straižys 1977, 1992).

The area investigated in this paper includes the molecular cloud MBM 12 (Magnani, Blitz & Mundy 1985) and is bounded by the following 2000.0 coordinates: RA from $2^{\rm h}51^{\rm m}$ to $3^{\rm h}01^{\rm m}$ and DEC from $+18°30'$ to $+21°30'$. The molecular cloud coincides with two large dust clouds L1454 and L1457 (Lynds 1962). Inside the L1454 cloud, two smaller clouds, L1453 and L1458, have been identified by Lynds.

In the present paper we describe the methods of observation and reductions and give the results of photometry and photometric classification. The methods of photometric classification of stars and determination of absolute magnitudes, color excesses, interstellar extinctions and distances are given in Straižys, Černis, Kazlauskas, Laugalys (2002, Paper II). That paper also contains the investigation of interstellar extinction in the area and the determination of distance to the dust cloud.

2. OBSERVATIONS, REDUCTIONS AND THE CATALOG

Photoelectric photometry of 152 stars, identified in Figures 1 and 2, in the standard passbands of the *Vilnius* system was performed in 2000–2001 with the two telescopes: the 165 cm telescope of the Molėtai Observatory in Lithuania and the 150 cm telescope of the University of Arizona at Mt. Lemmon, Arizona. In the area almost all stars down to 12.2 mag and some fainter stars down to 13.5 mag were measured. In all cases we tried to reach the accuracy of flux measurements better than ±0.01 mag, so at least 10 000 pulses were usually counted in each filter. For the faintest stars this condition was sometimes disobeyed, and the accuracy of their magnitudes and color indices can be somewhat lower, especially in the ultraviolet filters for red or reddened stars.

The extinction coefficients in the atmosphere for every moment of observation were determined by the Nikonov (1976) method adjusted to the *Vilnius* system by Zdanavičius (1975, 1996). In the Molėtai observations, for the extinction determination the stars HD 23609 ($V = 6.97$, F9 IV) in Pleiades and HD 18106 ($V = 8.64$, G2 V) in the investigated area were used. In the Arizona observations, the stars HD 2688 ($V = 7.52$, F6 IV) in SA 44 and HD 27406 ($V = 7.48$, G0 V) in Hyades were used. Transformation equations from the instrumental systems to the standard system were determined by photometry of ∼20 stars of various spectral types in the Cygnus Standard Region (Zdanavičius & Černienė 1985).

The catalog of the observed stars is given in Table 1. It contains the star identification number in Figures 1 and 2, the GSC and BD numbers, right ascensions and declinations, spectral types determined photometrically, spectral types from other sources (HD, AGK, PPM catalogs), magnitudes V, six color indices and the number of independent observations for each star, n, used to take the average values of magnitudes and color indices. The HD and *Hipparcos* (HIP) numbers are given in the Notes.

ACKNOWLEDGMENTS. The investigation is partly supported from the AAS Chretien Grant of 2000. We are grateful to the Arizona University telescope time allocation committee for the observing time on Mount Lemmon, to the Vatican Observatory community, especially Richard Boyle, for their help and hospitality during the observing run. We are also grateful to K. Zdanavičius and J. Zdanavičius for their help in the Molėtai observations.

REFERENCES

Lynds B. T. 1962, ApJS, 7, 1

Magnani L., Blitz L., Mundy L. 1985, ApJ, 295, 402

Nikonov V. B. 1976, Izvestija Crimean Obs., 54, 3

Straižys V. 1977, *Multicolor Stellar Photometry*, Mokslas Publishers, Vilnius, Lithuania

Straižys V. 1992, *Multicolor Stellar Photometry*, Pachart Publishing House, Tucson, Arizona

Straižys V., Černis K., Kazlauskas A., Laugalys V. 2002, Baltic Astronomy, 11, 231 (Paper II, this issue)

Zdanavičius K. 1975, Bull. Vilnius Obs., No. 41, 3

Zdanavičius K. 1996, Baltic Astronomy, 5, 549

Zdanavičius K., Černienė E. 1985, Bull. Vilnius Obs., No. 69, 3



Fig. 1. Identification chart for the northern section of the Aries area.



Fig. 2. Identification chart for the southern section of the Aries area.

Table 1. Results of photometry.

No.	GSC	BD	$\alpha(2000)$ h m s	$\delta(2000)$ ° ′	Sp photom.	Sp other	V	U–V	P–V	X–V	Y–V	Z–V	V–S	n
1.	1227:0327	+18 359	2 50 42	+19 09.6	F9 IV	F8	6.620	2.525	2.002	1.325	0.549	0.204	0.509	2
2.	1227:0966	+18 361	2 50 58	+19 19.3	G5 V	G0	8.974	2.600	2.165	1.492	0.585	0.235	0.579	2
3.	1227:0013	+18 362	2 51 07	+19 22.8	F5 IV	F5	10.620	2.471	1.871	1.231	0.557	0.200	0.518	2
4.	1227:0163	+18 364	2 51 24	+19 12.3	G9 III	K0	9.344	3.853	3.218	2.195	0.879	0.352	0.794	2
5.	1227:0222	+18 365	2 51 40	+19 18.6	K5 II-III	K5	8.357	5.845	4.941	3.457	1.256	0.588	1.154	2
6.	1227:0280		2 51 58	+19 15.2	F5 V		11.461	2.319	1.801	1.208	0.533	0.196	0.501	2
7.	1230:0673		2 52 03	+20 01.7	G7 III-IV		11.851	3.662	3.044	2.109	0.855	0.331	0.815	2
8.	1227:0305		2 52 08	+19 08.6	G9 IV-V		11.111	3.229	2.752	1.803	0.721	0.320	0.652	1
9.	1230:0729		2 52 09	+20 03.1	M0 III		11.086	6.077	5.035	3.582	1.356	0.577	1.283	2
10.	1230:0942		2 52 16	+20 02.5	K0 III		12.354	3.927	3.308	2.280	0.902	0.361	0.840	2
11.	1227:0649	+18 366	2 52 20	+18 43.3	F8 I-II?	F	9.214	2.387	1.738	1.123	0.414	0.155	0.385	2
12.	1227:0081	+18 367	2 52 24	+19 08.1	K1 III	K0	9.039	4.167	3.489	2.367	0.916	0.370	0.811	3
13.	1227:0136		2 52 25	+19 22.3	F8 V		12.040	2.567	2.024	1.404	0.632	0.229	0.596	2
14.	1230:0782		2 52 25	+20 01.7	G5 IV-V:		11.105:	2.899:	2.386:	1.660:	0.698:	0.265:	0.627:	2
15.	1227:0617	+18 368	2 52 27	+19 26.4	K0 III	G5, K0	8.831	4.151	3.474	2.361	0.938	0.371	0.848	2
16.	1227:0449	+19 429	2 52 32	+19 51.2	A5 m		10.687	2.765	2.036	1.122	0.456	0.170	0.374	3
17.	1230:0814		2 52 33	+20 01.7	G8.5 IV		11.510	3.582	2.997	2.077	0.847	0.335	0.793	2
18.	1227:0550		2 52 39	+19 55.0	K0 III		11.773	4.424	3.741	2.577	1.014	0.401	0.923	2
19.	1230:0724	+19 430	2 52 47	+20 07.5	G7 III	G5, K0	8.862	3.870	3.188	2.198	0.919	0.342	0.816	2
20.	1227:0469		2 52 57	+19 51.4	G9.5 III		11.335	4.279	3.587	2.476	0.985	0.387	0.907	2
21.	1230:0966		2 52 59	+20 09.1	A5 V		12.011	2.943	2.194	1.279	0.560	0.204	0.476	2
22.	1227:0585	+18 368a	2 53 06	+19 20.1	G8 III	G5	9.708	3.704	3.067	2.087	0.862	0.332	0.780	3
23.	1227:0457		2 53 12	+19 28.0	F5 IV		10.918	2.421	1.858	1.218	0.540	0.200	0.468	2
24.	1227:0412		2 53 19	+18 45.9	K0 III-IV		12.146	3.543	3.072	2.171	0.865	0.347	0.793	2
25.	1227:0045		2 53 21	+19 49.8	K1 III		12.389	4.771	4.030	2.841	1.162	0.461	1.088	2
26.	1227:0046		2 53 26	+19 44.9	F6 V		12.054	2.860	2.244	1.576	0.719	0.255	0.673	3
27.	1227:0790	+18 369	2 53 28	+18 37.5	F5 V		10.810	2.363	1.835	1.222	0.516	0.201	0.486	2
28.	1227:0725		2 53 38	+19 19.0	M4.5 III		10.960	5.461	4.382	3.082	1.350	0.460	1.351	2
29.	1227:0231		2 53 44	+18 32.4	K0.5 V		12.176	3.178	2.704	1.863	0.711	0.325	0.737	2
30.	1227:0218	+18 370	2 53 47	+18 38.0	F3 IV	A5	9.051	2.297	1.735	1.094	0.474	0.174	0.413	2

Table 1 (continued)

No.	GSC	BD	α(2000) h m s	δ(2000) ° ′	Sp photom.	Sp other	*V*	*U–V*	*P–V*	*X–V*	*Y–V*	*Z–V*	*V–S*	*n*
31.	1227:0428		2 53 53	+19 12.1	A2 V		11.751	2.381	1.735	0.837	0.344	0.130	0.240	2
32.	1227:0131		2 53 53	+19 08.6	K3 V		11.736	3.491	3.026	2.032	0.735	0.397	0.750	3
33.	1230:0767	+19 431	2 53 55	+20 14.0	G2 V		10.154	2.677	2.175	1.473	0.611	0.235	0.588	2
34.	1227:0073		2 54 07	+19 58.5	K1 V		12.232	3.202	2.759	1.883	0.704	0.332	0.723	2
35.	1227:0460		2 54 07	+19 50.8	G2 V		11.530	2.618	2.167	1.502	0.617	0.237	0.591	2
36.	1227:0554		2 54 15	+18 46.3	G5 III		11.829	3.415	2.807	1.975	0.820	0.305	0.779	2
37.	1230:1048	+19 432	2 54 18	+20 34.0	K1 III	K0	7.104	4.284	3.628	2.478	0.937	0.396	0.846	2
38.	1230:0999	+20 474	2 54 27	+21 19.6	F5/8 II-III	G0	9.792	3.333	2.552	1.772	0.812	0.294	0.741	3
39.	1230:0630		2 54 28	+21 15.9	G5 IV		11.727	3.152	2.579	1.807	0.780	0.294	0.738	3
40.	1230:1004		2 54 37	+21 21.1	F0 V		12.332	2.974	2.259	1.494	0.725	0.247	0.618	2
41.	1227:0564	+18 372	2 54 38	+19 20.6	M0/1 III		10.013	6.106	5.117	3.656	1.397	0.603	1.316	2
42.	1230:0428		2 54 48	+21 20.9	F7 IV-V		11.096	2.665	2.106	1.435	0.635	0.226	0.555	2
43.	1230:0816	+19 433	2 54 50	+20 22.4	K1.5 III	K0	6.951	4.327	3.649	2.494	0.929	0.401	0.853	2
44.	1227:0916	+17 454	2 54 55	+17 44.1	F0 IV	A3	6.999	2.142	1.551	0.844	0.344	0.133	0.324	2
45.	1230:1055		2 55 00	+21 05.8	F8 V		10.884	2.367	1.865	1.256	0.551	0.194	0.510	2
46.	1230:0821	+21 390	2 55 05	+21 35.7	G2 V	F8	8.640	2.586	2.118	1.411	0.579	0.228	0.535	25
47.	1230:0600	+20 475	2 55 05	+20 48.0	F4 V	F2	8.807	2.151	1.648	1.064	0.476	0.174	0.425	3
48.	1227:1316	+18 373	2 55 07	+19 03.1	F5 V		10.409	2.232	1.739	1.142	0.494	0.176	0.440	2
49.	1227:0447		2 55 16	+19 14.0	K5 III		10.364	6.343:	5.455:	3.780	1.484	0.662	1.308	2
50.	1227:0684		2 55 17	+19 15.0	G0 V		10.432	2.337	1.884	1.303	0.543	0.200	0.495	2
51.	1230:0643		2 55 18	+20 29.2	F9 V		10.891	2.400	1.942	1.334	0.585	0.212	0.558	2
52.	1227:0362	+18 374	2 55 20	+18 52.5	F8 V		9.933	2.354	1.852	1.265	0.563	0.200	0.558	2
53.	1230:0893		2 55 20	+20 49.2	G5 II		10.927	4.242	3.469	2.374	0.977	0.358	0.872	1
54.	1227:0297		2 55 24	+19 54.4	K0 II-III		11.642	5.802	4.893	3.526	1.508	0.565	1.403	2
55.	1230:1002		2 55 26	+20 04.9	K-M V	K6e	12.208	3.955	3.399	2.431	0.884	0.519	0.973	3
56.	1230:0416		2 55 30	+21 16.1	G5 V		11.113:	2.609:	2.205:	1.548	0.638	0.278	0.604	2
57.	1227:1100	+18 375	2 55 32	+18 46.5	G9 V	K0	9.750	2.826	2.406	1.658	0.637	0.292	0.647	2
58.	1230:0854	+20 476	2 55 42	+21 00.9	F6 V	G0	9.794	2.371	1.840	1.260	0.572	0.213	0.540	2
59.	1227:0558		2 55 44	+19 11.6	K3/5 III?		10.733	6.399:	5.458:	3.677:	1.541	0.627	1.334	2
60.	1227:0087		2 55 45	+19 55.0	G0 V		11.842	2.404	1.953	1.377	0.579	0.214	0.568	2

Table 1 (continued)

No.	GSC	BD	α(2000) h m s	δ(2000) ° ′	Sp photom.	Sp other	V	U–V	P–V	X–V	Y–V	Z–V	V–S	n
61.	1227:0883	+18 376	2 55 49	+19 09.2	F2	F	8.969	2.286	1.692	1.009	0.430	0.159	0.387	2
62.	1227:0190		2 55 57	+18 56.9	G2 IV-V		11.952	3.071	2.488	1.723	0.761	0.282	0.699:	2
63.	1230:0797		2 55 57	+21 20.8	K5 III		12.204	6.039	5.147	3.645	1.383	0.625	1.259	2
64.	1227:1115		2 56 02	+18 38.8	K2 III		11.128	4.840	4.101	2.820	1.109	0.463	1.005	3
65.	1227:0777	+18 377	2 56 06	+18 53.2	F8 V	F5	9.838	2.232	1.743	1.192	0.518	0.189	0.501	2
66.	1230:0458		2 56 24	+21 13.5	F5 V		11.784	2.990	2.329	1.639	0.773	0.281	0.701	3
67.	1227:1401	+17 458	2 56 25	+18 01.6	F6 IV	F6 V	5.578	2.194	1.684	1.097	0.469	0.176	0.452	2
68.	1230:0784		2 56 28	+21 18.6	F8		11.491	3.110	2.392	1.672	0.773	0.279	0.702	2
69.	1227:1362		2 56 30	+18 40.5	K0.5 IV-V?		11.607	3.632	3.150	2.329	0.994	0.412	0.926	3
70.	1230:0771		2 56 38	+21 15.0	G9 III-IV		11.626	4.030	3.385	2.357	0.975	0.376	0.905	2
71.	1227:0818		2 56 42	+18 56.7	G8 V		10.945	2.866	2.441	1.697	0.659	0.301	0.613	2
72.	1230:0302	+20 477	2 56 46	+21 25.7	F0 V	A5	8.755	2.180	1.601	0.920	0.380	0.143	0.337	2
73.	1227:0157		2 56 49	+18 55.0	G9 IV		12.284	3.826	3.219	2.256	0.929	0.380	0.867	2
74.	1230:0286		2 56 54	+21 25.8	G6-K1 III-IV?		13.455	4.203:	3.454:	2.417:	0.979	0.398	0.966	1
75.	1227:0917		2 56 54	+19 00.3	F5 V		10.880	2.527	1.968	1.306	0.582	0.210	0.530	2
76.	1230:0446		2 56 54	+20 02.9	G8 II		12.133	5.286	4.416	3.174	1.364	0.496	1.239	2
77.	1230:0993		2 56 56	+21 17.6	K0.5 III		12.160	4.615	3.900	2.723	1.119	0.440	1.005	2
78.	1227:0036		2 56 57	+18 48.5	F2 V		11.446	2.609	1.983	1.261	0.562	0.209	0.503	3
79.	1230:0404		2 57 02	+21 23.3	K0 III		13.276	4.863:	4.057:	2.801	1.171	0.457	1.029	1
80.	1227:0205	+18 378	2 57 04	+19 05.7	K1 III		10.117	4.752	3.962	2.775	1.117	0.468	1.036	3
81.	1230:0905		2 57 04	+20 26.6	F8 II-III		11.691	4.082	3.169	2.252	1.060	0.363	0.952	2
82.	1230:0907	+19 434	2 57 04	+20 05.9	G0 V	G0	10.677	2.472	2.026	1.397	0.601	0.228	0.546	3
83.	1230:0910		2 57 06	+20 07.3	G2 V		12.192	2.547	2.086	1.458	0.621	0.236	0.597	2
84.	1227:0620	+18 379	2 57 24	+19 13.5	F2/5 IV-V	F5	9.811	2.519	1.913	1.274	0.581	0.204	0.552	2
85.	1227:0437		2 57 24	+18 41.3	K2 III		12.202	4.782	4.041	2.806	1.072	0.439	0.994	2
86.	1227:0769		2 57 28	+19 26.0	G-K?		12.164	5.730:	4.733	3.375	1.450	0.539	1.335	2
87.	1230:0510	+19 435	2 57 32	+20 23.5	G3 V		11.548	2.621	2.167	1.518	0.645	0.258	0.614	2
88.	1230:0665	+19 436	2 57 33	+20 01.1	G4 V	G5	9.919	2.615	2.153	1.464	0.595	0.234	0.555	2
89.	1227:0115		2 57 34	+18 50.5	K0 III		11.293	4.122	3.484	2.387	0.926	0.378	0.864	4
90.	1230:0888		2 57 35	+21 00.3	F6 III		11.798	3.435	2.625	1.778	0.829	0.283	0.747	2

Table 1 (continued)

No.	GSC	BD	α(2000) h m s	δ(2000) ° ′	Sp photom.	Sp other	V	U–V	P–V	X–V	Y–V	Z–V	V–S	n
91.	1230:0783	+20 478	2 57 39	+20 50.8	F6 V		10.309	2.358	1.855	1.238	0.543	0.202	0.510	2
92.	1230:0664		2 57 43	+21 12.9	G8 V		12.166	2.960	2.520	1.735	0.705	0.303	0.655	1
93.	1227:0481	+18 380	2 57 49	+19 13.1	G0 IV-V		11.364	2.946	2.345	1.659	0.735	0.266	0.687	3
94.	1230:0616		2 57 58	+21 18.5	G0 V		10.634	2.556	2.094	1.424	0.607	0.224	0.554	2
95.	1230:0552		2 58 01	+20 52.7	F9 V sd?		11.400	2.297	1.826	1.286	0.572	0.205	0.540	3
96.	1230:0400	+20 479	2 58 01	+21 23.4	F8 V		11.369	2.392	1.906	1.324	0.584	0.216	0.532	2
97.	1230:1425	+20 480	2 58 04	+20 40.2	F5 V	F5 IV	5.732	2.171	1.668	1.073	0.442	0.168	0.430	3
98.	1227:0363		2 58 04	+18 51.2	G9 III		11.553	3.912	3.272	2.271	0.911	0.345	0.857	3
99.	1230:0850		2 58 05	+20 25.8	G?		11.050	5.294	4.371	3.157	1.365	0.497	1.265	2
100.	1230:0432	+19 437	2 58 06	+20 35.5	F6 V		9.472	2.479	1.929	1.311	0.570	0.212	0.528	3
101.	1227:0003		2 58 05	+19 07.7	K1 V		12.213	3.165	2.718	1.861	0.703	0.320	0.720	2
102.	1230:0332		2 58 08	+21 24.9	G8 V		13.016	2.878	2.436	1.686	0.688	0.285	0.677	2
103.	1227:1330	+18 381	2 58 10	+19 30.0	K2 V		10.528	3.254	2.833	1.939	0.707	0.374	0.715	2
104.	1230:0744		2 58 11	+20 30.1	K2 V	K4e	12.065	3.851	3.263	2.316	0.900	0.444	0.948	2
105.	1227:0870		2 58 14	+19 33.3	K0 II-III		11.345	5.057	4.276	3.062	1.248	0.494	1.137	3
106.	1227:0986		2 58 16	+19 07.3	K0 III		10.796	3.974	3.338	2.335	0.942	0.388	0.867	2
107.	1227:0210		2 58 17	+19 59.6	K0 II-III		12.046	6.342	5.351	3.893	1.721	0.629	1.591	2
108.	1227:0342		2 58 18	+19 17.9	G9 III		10.940	4.304	3.606	2.522	1.045	0.397	0.956	3
109.	1230:0713	+20 481	2 58 18	+20 39.6	G6 IV	G5	10.146	3.069	2.558	1.752	0.713	0.279	0.679	2
110.	1230:0520		2 58 18	+20 49.7	A-F		12.163	4.068	3.038	1.898	0.875	0.302	0.762	2
111.	1227:0771	+18 382	2 58 24	+19 13.8	G2 V	G0	8.772	2.489	2.037	1.366	0.564	0.224	0.535	2
112.	1227:0860		2 58 24	+18 54.1	F6 V		12.113	2.517	1.958	1.335	0.594	0.210	0.552	2
113.	1230:0862		2 58 29	+20 13.6	K1 V		12.003	3.308	2.835	1.919	0.731	0.350	0.727	2
114.	1230:0511		2 58 32	+20 32.8	G3 V		11.400	2.645	2.192	1.519	0.633	0.247	0.607	2
115.	1230:0550	+20 482	2 58 34	+21 14.3	G9 V	G5	9.744	2.685	2.280	1.601	0.631	0.270	0.596	2
116.	1230:0970	+19 438	2 58 48	+20 35.7	M1 III	M0	8.826	6.863	5.769	4.117	1.603	0.701	1.477	2
117.	1230:0240	+21 397	2 58 53	+21 37.1	A5	A3	6.697	2.296	1.594	0.771	0.301	0.113	0.249	2
118.	1227:0642	+18 383	2 58 54	+19 34.6	G8 III	K0	8.243	3.819	3.178	2.191	0.875	0.339	0.789	2
119.	1230:0723		2 59 00	+20 13.3	F0 IV		11.244	3.341	2.510	1.613	0.738	0.263	0.660	3
120.	1227:0116	+19 439	2 59 03	+19 43.7	K4.5 II-III		9.248	5.718:	4.824	3.404	1.261	0.579	1.113	2

Table 1 (continued)

No.	GSC	BD	α(2000) h m s	δ(2000) ° ′	Sp photom.	Sp other	V	U–V	P–V	X–V	Y–V	Z–V	V–S	n
121.	1227:0160		2 59 04	+18 52.8	F6 V		10.955	2.372	1.842	1.232	0.545	0.198	0.512	2
122.	1227:0891		2 59 07	+18 52.4	F8 V:		10.981	2.251	1.761	1.206	0.547	0.196	0.609	2
123.	1227:0027	+19 440	2 59 10	+19 59.4	F2 V	F0	7.329	2.171	1.618	0.988	0.412	0.154	0.386	4
124.	1227:0494		2 59 13	+19 17.2	F0 IV-V		10.907	2.568	1.876	1.114	0.463	0.176	0.424	2
125.	1230:0576		2 59 24	+21 00.4	G3 V		10.937:	2.785:	2.318:	1.591	0.677	0.269	0.605	2
126.	1227:0820	+18 385	2 59 26	+18 52.3	F0 V		10.571	2.601	1.912	1.187	0.527	0.194	0.461	3
127.	1230:0853	+19 441	2 59 27	+20 04.0	A7 V	A2	9.315	2.225	1.624	0.872	0.357	0.132	0.289	2
128.	1230:1044		2 59 28	+20 52.7	G2 V		12.055	2.648	2.168	1.516	0.640	0.248	0.606	2
129.	1230:0987		2 59 32	+20 50.5	G9 III		11.246	4.523	3.791	2.656	1.117	0.419	0.990	2
130.	1227:0744		2 59 38	+19 37.2	F9 V		12.160	2.627	2.108	1.484	0.638	0.222	0.617	1
131.	1230:0772	+19 442	2 59 41	+20 13.0	F7 V		10.068	2.478	1.962	1.317	0.580	0.215	0.545	1
132.	1227:0232		2 59 42	+19 40.3	G8 IV		11.360	3.414	2.861	1.986	0.811	0.327	0.760	1
133.	1230:0655		2 59 57	+20 47.9	G3 V		12.113	2.801	2.341	1.618	0.672	0.273	0.637	2
134.	1230:0722	+19 443	3 00 12	+20 30.8	G7 V		10.550	2.612	2.192	1.514	0.599	0.248	0.577	2
135.	1230:0852		3 00 20	+20 13.1	G9.5 III		12.457	4.191	3.515	2.442	0.988	0.390	0.909	2
136.	1230:0742		3 00 22	+21 10.9	F5 V		10.745	2.390	1.837	1.230	0.554	0.194	0.483	2
137.	1230:0867		3 00 26	+20 52.8	K0 III		12.048	4.424	3.679	2.558	1.040	0.415	0.952	2
138.	1227:1178	+17 471	3 00 31	+18 00.3	B9.5 V	A0	6.732	1.879	1.299	0.528	0.204	0.074	0.145	2
139.	1230:0679	+20 486:	3 00 32	+21 05.9	G7 III		10.075	3.856	3.186	2.231	0.947	0.359	0.861	2
140.	1230:0735	+20 488	3 00 32	+21 02.4	M2 III		12.061	6.321	5.174	3.722	1.465	0.614	1.376	2
141.	1230:1017		3 00 42	+21 04.3	G0 V		11.969	2.544	2.061	1.453	0.623	0.236	0.590	2
142.	1230:1010	+19 444	3 00 45	+20 07.6	F2.5 IV	A5	9.901	2.544	1.892	1.168	0.487	0.188	0.440	2
143.	1230:0434		3 00 57	+20 41.8	M0/2 III		11.482	6.468	5.429	3.797	1.494	0.645	1.395	3
144.	1230:0696	+20 489	3 01 02	+20 56.9	G8.5 IV	K0	9.984	3.324	2.805	1.917	0.768	0.316	0.703	3
145.	1230:0694		3 01 02	+20 15.1	G7 IV		12.072	3.263	2.716	1.911	0.813	0.320	0.767	2
146.	1230:0786		3 01 10	+20 45.9	F4 V		12.163	2.810	2.152	1.449	0.687	0.251	0.631	2
147.	1230:0997		3 01 10	+20 25.1	K3 V		11.578	3.412	2.958	1.971	0.720	0.360	0.741	2
148.	1231:1650	+19 446	3 01 24	+20 10.9	F1 IV	F0	9.169	2.235	1.635	0.950	0.406	0.146	0.354	2
149.	1231:1230		3 01 58	+20 40.6	F6 V		12.145	2.930	2.308	1.645	0.776	0.288	0.719	1
150.	1228:1069	+19 447	3 02 23	+19 55.5	F5 IV		10.421	2.431	1.873	1.225	0.540	0.200	0.473	2
151.	1228:1624	+18 398	3 03 05	+19 02.6	F0 V	F0	9.494	2.215	1.651	0.985	0.416	0.155	0.377	2
152.	1228:1051	+19 450	3 03 08	+19 48.1	F0 V	F2	9.002	2.354	1.717	1.035	0.442	0.164	0.408	2

NOTES:

1. HD 17659 (F8), HIC 13269.
5. HD 17768 (K5), HIC 13337.
11. HD 17834 (F).
19. HD 17870 (G5), HIC 13418.
30. HIC 13496.
37. HD 18019 (K0), HIC 13532.
43. HD 18066 (K0), HIC 13571.
44. HD 18091 (A3), HIC 13579.
46. HD 18106 (F8), HIC 13589, standard star.
47. HD 18090 (F2).
57. HIC 13631.
61. HD 18190 (F), binary (see Paper II).
67. HD 18256 (F5), HIC 13702, ρ Ari.
72. HD 18283 (A5), HIC 13723.
96. Binary (see Paper II).
97. HD 18404 (F0), HIC 13834.
111. HIC 13855.
117. HD 18484 (A3), HIC 13892, binary (see Paper II).
118. HD 18485 (K0), HIC 13893.
123. HD 18508 (F0), HIC 13913.
131. Binary (see Paper II).
138. HD 18654 (A0), HIC 14021, 50 Ari, binary (see Paper II).
152. HIC 14201.